

References:

- Bal DG, Lloyd JC, Roeseler A, and Shimizu R. (2001). California as a model. *Journal of Clinical Oncology*, 19 (18S), 69s-73s
- Birse, E. (1998). The role of health promotion within integrated health system. The centre of health promotion. Retrieved April 21, 2020 from <http://www.utoronto.ca/chp/download/RptsandPresents/roleofHP.pdf>
- California Tobacco Control Update (2000). Tobacco Control Section, California Department of Health Services.
- California Department of Public Health, California Tobacco Control Program. (2009). *California Tobacco Control Update 2009: 20 Years of Tobacco Control in California*: Sacramento, CA.
- Canadian Tobacco Use Monitoring Survey. (2007). Retrieved April 21, 2010 from http://www.hc-sc.gc.ca/hc-ps/tobac-tabac/research-recherche/stat/ctums-esutc_2007-eng.php
- Canadian Cancer Society's Steering Committee. (2009). Canadian Cancer Statistics 2009: Cancer in adolescents and young adults. Canadian Cancer Society. Retrieved April 21, 2010 from http://www.cancer.ca/canada-wide/about%20cancer/cancer%20statistics/canadian%20cancer%20statistics.aspx?sc_lang=en
- Canadian Coalition on Tobacco Control. (2006). 10-Point Federal Action Plan to Curb the Tobacco Epidemic. Ottawa ON, Retrieved April 21, 2010 from http://www.cda-adc.ca/_files/cda/about_cda/government_relations/ccat_10pointplan_2006.pdf
- Cancer Care Ontario. (2002). Tobacco or Health in Ontario. Retrieved April 21, 2010 from <http://www.cancercare.on.ca/common/pages/UserFile.aspx?fileId=14456>
- Centers for Disease Control and Prevention. (2007). *Best Practices for Comprehensive Tobacco Control Programs—2007*. Atlanta, GA: US Department of Health and Human Services, Centers for Disease Control and Prevention, National Center for Chronic Disease Prevention and Health Promotion, Office on Smoking and Health. Retrieved April 21, 2010 from http://www.cdc.gov/tobacco/stateandcommunity/best_practices/pdfs/2007/bestpractices_complete.pdf
- Cummings KM, Hyland A, Saunders-Martin T, et al. (1998). Evaluation of an enforcement program to reduce tobacco sales to minors. *American Journal of Public Health*, 88(6),932-6
- Dubray J, Schwartz R, Garcia JM, Bondy SJ, and Victor JC. (2007). Formative evaluation of the Smoke-Free Ontario Act: Comparison of Baseline and Two Post-SFOA Measurements. Ontario Tobacco Research Unit, Special Report Series, Toronto. Retrieved April 21, 2010 from http://www.otru.org/pdf/special/special_nov2_2007.pdf
- Fortmann SP, Flora JA, Winkleby MA, Schooler C, Taylor CB, and Farquhar JW. (1995). Community intervention trials: reflections on the Stanford five-city project experience. *American Journal of Epidemiology*, 142 (6), 576–86.
- Gritz ER. (1994). Reaching toward and beyond the year 2000 goals for cigarette smoking: research and public health priorities. *Cancer*, 74(4),1423–32.
- Health Canada. (2006). Your step-by-step guide to quitting smoking. Retrieved April 21, 2010 from <http://www.hc-sc.gc.ca/hc-ps/tobac-tabac/quit-cesser/now-maintenant/guide/index-eng.php>

- Lantz PM, Jacobson PD, Warner KE, et al. (2000). Investing in youth tobacco control: a review of smoking prevention and control strategies. *Tobacco Control*, 9, 47-63.
- Leatherdale, S., and Strath, J. (2007). Tobacco retailer density surrounding schools and cigarette access behaviours among underage smoking students. *Annals of Behaviour Medicine*, 33(1),105-11
- Mathers M, Toumbourou JW, Catalano RF, and Williams J, Patton GC. (2006). Consequences of youth tobacco use: a review of prospective behavioural studies. *Addiction Journal*, 101(7), 948-58.
- McCarthy WJ, Mistry R, Lu Y, Patel M, Zheng H, and Dietsch B. (2009). Density of tobacco retailers near schools: effects on tobacco use among students. *American Journal of Public Health*, 99(11), 2006-13.
- Ministry of Education. (2010). *Ontario curriculum: Grades 1 to 8 – health and physical education*. Retrieved April 21, 2010 from <http://www.edu.gov.on.ca/eng/curriculum/elementary/health18curr2010.pdf>
- Ministry of Health Promotion. (2010). Creating a smoke-free Ontario. Retrieved April 21, 2010 from http://www.mhp.gov.on.ca/english/health/smoke_free/accomplishments.asp
- Mudde, A., and Vries, H. (1999). The reach and effectiveness of a national mass media-led smoking cessation campaign in The Netherlands. *American Journal of Public Health*, 89(3), 346-350.
- Ontario Ministry of Health Promotion. (2009) Backgrounder: Creating a smoke free Ontario. Retrieved April 21, 2010 from http://www.mhp.gov.on.ca/english/health/smoke_free/SFO_Backgrounder.pdf
- Ontario Tobacco Research Unit. (2005). *The health effects of tobacco use*. Ottawa: National Clearinghouse on Tobacco and Health.
- Ontario Tobacco Research Unit. (2006). The burden of tobacco use in Ontario. Retrieved April 21, 2010 from http://www.otru.org/pdf/updates/update_june2006.pdf
- Ontario Tobacco Research Unit. (2007). *The tobacco control environment: Ontario and beyond*. [Special reports: monitoring and evaluation series, 2006-2007 (Vol. 13, No. 1)]. Fact Sheet 1.6: Protection from Secondhand Smoke. Toronto, ON: Ontario Tobacco Research Unit.
- Ontario Tobacco Research Unit. (2008). *Indicators of smoke-free Ontario progress*. [Special reports: monitoring and evaluation series, 2006-2007 (Vol. 13, No. 2)]. Toronto, ON: Ontario Tobacco Research Unit.
- Ontario Tobacco Research Unit. (2009). *Toward a smoke-free Ontario: Progress and implications for future developments* [Special Reports: Monitoring and Evaluation Series (Volume 13, No. 3)]. Toronto, ON: Ontario Tobacco Research Unit, February 2009.
- Ontario Tobacco Research Unit. (2010). The tobacco control environment: Ontario and beyond. Monitoring and evaluation series (Vol. 15, No. 1). Tobacco Control Funding Commitments: Monitoring Update. Toronto, ON.
- Paglia-Boak A, Mann RE, Adlaf EM, and Rehm, J. (2009). *Drug use among Ontario students, 1977-2009: Detailed OSDUHS findings*. (CAMH Research Document Series No. 27). Retrieved April 21, 2010 from http://www.camh.net/Research/Areas_of_research/Population_Life_Course_Studies/OSDUS/~Detailed_DrugReport_2009OSDUHS_Final.pdf

- Ross NA, and Taylor SM. (1998). Geographical variation in attitudes towards smoking: findings from the COMMIT communities. *Social Science and Medicine*, 46,3–17.
- Schar E, Gutierrez K, Murphy-Hoefer R, and Nelson DE. (2006). *Tobacco use prevention media campaigns: lessons learned from youth in nine countries*. Atlanta: U.S. Department of Health and Human Services, Centers for Disease Control and Prevention, National Center for Chronic Disease Prevention and Health Promotion, Office on Smoking and Health. Retrieved April 21, 2010 from www.cdc.gov/tobacco.
- Shields M. (2007). Smoking-prevalence, bans and exposure to second-hand smoke. *Health Reports (Statistics Canada, Catalogue 82-003)*. 18(3), 67-85.
- Sussman S. (2001). Project EX: outcomes of a teen smoking cessation program. *Addiction Behaviour*, 26(3), 425-38
- US Department of Health and Human Services. (2000). *Reducing tobacco use: A report of the surgeon general*. Atlanta, GA: US Department of Health and Human Services, Centres for Disease Control and Prevention, National Center for Chronic Disease Prevention and Health Promotion, Office on Smoking and Health.
- U.S. Department of Health and Human Services (U.S. D.H.H.S.). (2006). *The Health Consequences of Involuntary Exposure to Tobacco Smoke: A Report of the Surgeon General*. U.S. Department of Health and Human Services, Centers for Disease Control and Prevention, National Center for Chronic Disease Prevention and Health Promotion, Office on Smoking and Health.
- Wakefield, M, and Chaloupka, F. (2000). Effectiveness of comprehensive tobacco control programmes in reducing teenage smoking in the USA. *Tobacco Control*, 9; 177-186.
- World Health Organization. (2008). *WHO Report on the Global Tobacco Epidemic*.